

Project: _____ Type: _____ Quantity: _____
 Note: _____ SKU#: SP - FR - 20 - _____ - _____ - 23W - _____ - _____

Description

Classic tapered form with playful additions of color and scale. Quality illumination delivered via integrated highly-efficient LEDs.

Features

- Suspends from an 12' adjustable cable
- Integrated LED light kit with glass diffuser comes with a 12' black power cord.
- Spun aluminum construction with a powder coated paint finish
- Damp location rated




Specifications

- Color Rendering Index: 90CRI
- LED Color Temperature: 3000K (standard)
- Lumens: 2071 Lumens
- Fixture Wattage: 23W
- Cable Length: 12' (see page 2 for details; custom lengths available)
- Fixture Weight: 7.1 lb (3.22 kg)
- For recommended dimmers see <http://blackjacklighting.com>

Options

- Color Temperature: 2700K, 3000K, 3500K, or 4000K
- Available in: BG - Black w/Gold Interior or SW - Satin Nickel w/White Interior
- Mounting: See page 2 for mounting options

Dimensions



Finishes



BG - Black w/
Gold Interior



SW - Satin Nickel w/
White Interior

ORDERING GUIDE




| Category | Series | Diffuser | Size | Finish | Color Temp. | Wattage | Mounting | Length |
|------------------|-------------|---|-----------------|--|--|---------------------|---|---|
| SP | PBX | FR | 20 | | 30K | 23W | | 144 |
| SP Small Pendant | PBX Pillbox | FR Frosted diffuser w/ integrated light kit | 20 20" Diameter | BG Black w/ Gold Interior SW Satin Nickel w/ White Interior | 27K 2700K 30K 3000K 35K 3500K 40K 4000K | 23W 23Watts/ 2071Lm | SP6 6.5" Deep Canopy MPC Multi-Port Connector | 144" (Standard) (Change Length for custom cable length, in inches) |

Example: SP-PBX-FR-20-SW-30K-23W-SP6-144


(30K Standard)

(See page 2 for mounting information)


Finish


| | | |
|--|--|--|
| Finish  BG SW |  BG - Black with Gold Interior |  SW - Satin Nickel with White Interior |
|--|--|--|

Wattage


| | |
|--|---|
| Wattage  23W | 23W = 23 Watts / 2071 Lumens <i>(Lumens measured at 3000K)</i> |
|--|---|

Mounting

| | |
|--|--|
| Mounting  SP6 MPC | <p>SP6 = 6.5" canopy with integrated driver (included), attaches to rear of canopy and sits inside ceiling mounted junction box <i>Cable with modular connector attaches to canopy w/ integrated universal driver (120-277V / TRIAC, ELV, 0-10V dimming)</i></p> <p>MPC = Multi-port connector attaches to any of BlackJack's Multi-Port canopies (canopy and driver sold separately) <i>Cable with modular connector attaches to a driver inside a Multi-Port canopy (driver may be remote)</i></p> |
|--|--|



















Max Cable Length

| | |
|---|--|
| Length  144" (Standard) Custom Length | 144" (Standard) (Change Length for custom cable length, in inches) <i>Factory pre-configuration of cable length is available. Consult factory for details.</i> |
|---|--|

For full specifications and ordering information, see blackjacklighting.com

(# symbol indicates additional specification required)


| Pendant Mounting | Canopy | Dimensions | End / Side View | Finish Options |
|------------------|--|--|--|---|
| SP5 | 5" Canopy Canopy and driver included with pendant |  5" dia. 12.7 cm |  (Integrated Driver) .8" / 2 cm | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| SP2 | 2.5" Fascia Canopy Canopy included with pendant. Driver sold separately. |  2.5" dia. 6.4 cm |  (Remote Driver required) .4" / 1.3 cm | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 24" Multi-Port Square - 9 Port C-MPS-2409-# 24" Multi-Port Square - 25 Port C-MPS-2425-# |  8" OC 20.3 cm 23.9" / 60.7 cm 9 Port 4.8" OC 12.2 cm 23.9" / 60.7 cm 25 Port |  21.5" / 54.6 cm 2.5" / 6 cm (Integrated or Remote Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 38" Multi-Port Rectangle - 10 Port C-MPT-3810-# 38" Multi-Port Rectangle - 18 Port C-MPT-3818-# |  7.5" OC 19 cm 37.7" / 97.8 cm 3" OC 7.6 cm 10 Port 4.1" OC 10.4 cm 2.5" OC 6.4 cm 18 Port 37.7" / 97.8 cm |  4.7" / 11.9 cm 6" / 15.2 cm 2.5" / 6 cm (Integrated or Remote Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 22" Multi-Port Linear - 5 Port C-MPL-2205-# 48" Multi-Port Linear - 11 Port C-MPL-4811-# |  4.4" OC 11.2 cm 21.8" / 56 cm 2.8" / 7 cm 5 Port 4.4" OC 11.2 cm 48" / 123 cm 2.8" / 7 cm 11 Port |  2.8" / 7 cm 1.4" / 4 cm (Integrated or Remote Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 10" Round - 3 Port C-MPR-1003-# 10" Round - 9 Port C-MPR-1009-# |  11" dia. 27.9 cm 7.4" OC 18.8 cm 3 Port 11" dia. 27.9 cm 2.9" OC 7.4 cm 9 Port |  10" dia. 25.4 cm 2.1" / 5.3 cm (Integrated Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| MPC | 20" Round - 3 Port C-MPR-2003-# 20" Round - 12 Port C-MPR-2012-# |  20" dia. 50.8 cm 14.5" OC 36.8 cm 3 Port 20" dia. 50.8 cm 6.4" OC 16.3 cm 12 Port |  18" dia. 45.7 cm 2.5" / 6 cm (Integrated Driver) | BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver |
| JTA | 24" JackTrack See JackTrack Spec Sheet 48" JackTrack See JackTrack Spec Sheet 94" JackTrack See JackTrack Spec Sheet |  23" / 58.4 cm 1.75" / 4.5 cm 47" / 119.4 cm 1.75" / 4.5 cm 94" / 238.8 cm 1.75" / 4.5 cm |  1.38" / 3.5 cm 1.75" / 4.5 cm (Integrated or Remote Driver) | BL Matte Black WH White |

| System | Pendant Mounting | Configuration Examples | Finish Options |
|--------|------------------|------------------------|----------------|
|--------|------------------|------------------------|----------------|


Quatro

Square Configurations - See [Quatro Square Configurations](#) section of our website for specification information (#)

4S (4' 2x2 / 9 Port)
MSQ-2409-#-#-4S-#-#



6S (6' 3x3 / 25 Port)
MSQ-2425-#-#-6S-#-#




MPC


- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver

Linear Configurations - See [Quatro Linear Configurations](#) section of our website for specification information (#)

4L (4'x2' / 9 Port)
MSQ-2409-#-#-4L-#-#




6L (6'x2' / 25 Port)
MSQ-2425-#-#-6L-#-#



Duo

Linear Configurations - See [Duo Linear Configurations](#) section of our website for specification information (#)


6L (6'4"x6" / 10 Port)
MSD-3810-#-#-6L-#-#



MPC



- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver

9L (9'6"x6" / 18 Port)
MSD-3818-#-#-9L-#-#



Solo


Solo 48" Linear Configuration - See [Solo Linear Configuration](#) section of our website for specific information (#)



MPC

- BL** Matte Black
- PC** Pol. Chrome
- WH** White
- SG** Satin Gold
- BZ** Bronze
- SS** Satin Silver

Solo 22" Grid Configuration - See [Solo Grid Configuration](#) section of our website for specific information (#)



Solo 48" Grid Configuration

