



IB RUBINETTI

Collection

INDUSTRIA

Article

ID200

Description

Monohole washbasin mixer

Box Dimensions

340 x 180 x 70 mm

Weight


1.6 kg



Finishes

- **CC**
CHROME
- **CF**
BLACK CHROME
- **OO**
GOLD
- **BB**
ANTIQUE BRONZE
- **SS**
BRUSHED NICKEL
- **CS**
BRUSHED BLACK CHROME
- **BO**
MATT WHITE
- **NP**
MATT BLACK
- **IS**
BRUSHED PALE GOLD
- **OS**
BRUSHED GOLD
- **II**
PALE GOLD
- **RR**
ANTIQUE COPPER
- **RS**
ROSE GOLD
- **ON**
NATURAL BRASS
- **SR**
BRUSHED ROSE GOLD
- **PL**
PLATINUM

Dimensions



Cartridge

Ø25 ceramic cartridge

Hoses

Inox hoses G3/8" female 400 mms long

Aerator

M16.5x1

Flow Rate (+/-10%)

1 BAR	2 BAR	3 BAR
5.9 l/min	8.4 l/min	10.3 l/min

Production

Main body is a machined from a solid pieces


Material

BRASS
According to CuZn42 (CW510L)
Max Lead content: 0.2%





IB RUBINETTI



Elenco parti			
ELEM	CODICE	NUMERO DI MAGAZZINO	QT
1	AC0012840	Handle Ø42 H30 knurled	1
2	AC0007091	Straight rod Ø8 L67	1
3	AQ0009938	Grubscrew M4x3 flat point	1
4	AQ0006650	Plug cover Ø7	1
5	CPID200CC-1	Preassembled basin mixer	1
5.1	AC0012842	Cartridge fixing nut chromed cover	1
5.2	AQ0006586	OR 25.12x1.78 NBR 70 SH	1
5.3	AS0011353	Cartridge fixing nut M30x1 H14.35	1
5.4	AQ0010564	OR 26.7x1.78 NBR 70 SH	1
5.5	AQ0013098	Ceramic cartridge Ø25 9x9 (K25 OP S)	1
5.6	AC0010810	Connection piece Ø27X18	1
5.7	AQ0010972	OR 23x2 NBR 70 SH	1
5.8	AQ0014246	Mixer body Ø42 H129	1
5.9	AQ0014236	Cachè perlator M16,5 x 1 coin slot (44.3230.450)	1
6	AC0012841	Base Ø5 H5 knurled	1
7	AQ0011013	Inox hose G3/8" F M8x1 L400	2
8	AQ0011014	Fixing set	1
9	AQ0009837	Simple rapid waste 1"1/4	1

WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scatches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that cointain hydrochloric acid or abrasive substances.

